



A HISTORY OF EXCELLENCE

T&S Brass and Bronze Works has built a reputation for quality, service and innovation for over 75 years – beginning with our original pre-rinse unit, the market's very first. Today, our products have become the standard for many U.S. hospitals, schools, restaurants, supermarkets and public facilities.

T&S products are highly acclaimed throughout the industry for being well-built, long-lasting and reliable. Rigorous testing and a focus on interchangeability have helped set T&S apart from the competition.



- 2.2 GPM Vandal-resistant aerator
- Adjustable temperature control mixing valve

Rigid Gooseneck / Cast spout

AC/DC power
Check valves



EC-3130 deck-mount swivel/rigid gooseneck



EC-3142-VF05 deck-mount cast spout

EC-3102



deck-mount cast spout **EC-3102-VF05** With 0.5 GPM VR non-aerated spray device



EC-3104 4" centers deck-mount cast spout

EC-3104-VF05 With 0.5 GPM VR non-aerated spray device

Pantry and Big-Flo Faucets:



B-0231 8" centers with 12" swing nozzle



B-0502 Double pedal valve, floor-mount



B-0520-F05 6" rigid/swivel gooseneck

Service Sink Faucets:



B-0674-RGH

Vacuum breaker nozzle with 8" centers rough chrome



B-0665-BSTR Built-in stops, 8" centers and va

Built-in stops, 8" centers and vacuum breaker nozzle, rough chrome

Service Sink Faucets:

B-0665-POL



Built-in stops, 8" centers, vacuum breaker nozzle, polished chrome

Medical and Lavatory Faucets:



BP-0723 LakeCrest aesthetic metering faucet in polished chrome



B-0890-VF05 3¾" cast basin spout with 0.5 GPM VR non-aerated spray device



B-0892-01 4" lavatory faucet w/rigid gooseneck, 2.2 GPM Aerator B-0892-CR

4" lavatory faucet w/swivel gooseneck, 2.2 GPM Aerator B-0892-VF05

with 0.5 GPM VR non-aerated spray device

B-2866-05 Concealed widespread faucet w/ 2.2 GPM Aerator, swivel gooseneck

Thermostatic Mixing Valves:



1/2" NPSM male threads **BP-TMV-38C**

EC-TMV

3/8" compression

BP-TMV-38C-BPT 3/8" compression with cold water by-pass tee

Single Lever Faucets:



B-2701

Single hole, single lever with 2.2 GPM aerator

B-2711-VF05 4" centerset, 4" handle with 0.5 GPM VR outlet

Metering Faucets:



B-0831

Deck mount with 4" centers and 2.2 GPM aerator



B-0712-VF05

Slow self-closing basin faucet with 0.5 GPM VR nonaerated spray device

Workboard Faucet Features:

- Use T&S cartridges
- Eterna or Cerama cartridge models available
- Updated, modern look

 2.2 GPM aerator Easier to maintain

B-1110 4" centers with 6" Swing Nozzle **B-1110-XS** With 2" extended shanks





B-1120 8" centers with 6" Swing Nozzle B-1120-XS With 2" extended shanks

4" centers with 6" Swing Nozzle



B-1141-XSCR4V05

B-1115

4" deck mount, 6" swivel with 0.5 GPM VR outlet and 4" handles

B-1141

Deck mount, 4" centers and 133X swivel gooseneck

Hose Reels:



B-7232-01

Open epoxy coated steel hose reel, high flow spray valve with swivel, 3/8" x 35' heavy-duty non-marking hose, ratcheting system, multi-fit bracket, adjustable hose bumper and 3/8" NPT female inlet

Glass Fillers:



B-1200

Wall mount, 3/8" NPT female inlet with adjustable flange

B-1210

B-1256

8" deck mount pedestal, 1/2" NPT male shank

• Adjustable outlet with hex key

 Valve Assembly with valve spring • Lever Arm repair kit with screw and nut

Order this Repair Kit for any B-1200 series Glass Filler:



Vacuum Breakers:



B-0969 1/2" NPT Inlet & Outlet

B-0969-RK01 **Repair Kit Includes:**

• (2) coverplate screws • (1) brass insert • (1) Insert '0'-Ring

- (1) disc seal
- (1) float piston

Waste Valves:

• #017670-45 Modular Waste Valve Installation Tool (comes with B-3990; can be ordered separately



B-3990 Modular Waste Valve





- - (1) outlet coupling washer

SAFET-LINK 48" Gas Appliance Hoses:

HG-4D-48K

3/4" NPT male connections w/ guick disconnect, includes installation kit

HG-4D-48S

3/4" NPT male connections w/ swivels

HG-4D-48SK

3/4" NPT male connections w/ swivels, includes installation kit

Rotary Waste Valve for 3 1/2" Sink Opening

B-39K

- (1) drain bushing





- (1) twist handle washer
- (1) twist handle 'O'-Ring
 - (1) twist handle 'C'-Ring
- (1) rod nut '0'-Ring




- Repair Kit Includes:
- (1) 3-1/2" head gasket





B-0133-ADF12-B EasyInstall, Spring Action, 8" Wall Mount, 12" Add-On Faucet, Wall Bracket





Pre-Rinse Accessories:



B-TEE-EZK Pre-Rinse Accessory Tee



018200-40 Pre-Rinse Swivel



B-0156

Add-on faucet with 12" nozzle and lever handle

Installation Kits for B-1100 and B-0230 Series:



B-0230-KIT Inlet kit includes:

- 1/2" NPT supply nipples and elbows Lock nuts and washers
 - 1/2" NPT male outlet • 3/8" compression inlet

• 1/2" NPT male x

female short elbows



- **B-0230-K** Elbow Installation Kit includes two (2) each:
- 1/2" NPT supply nipples
- Lock nut and washers



B-0425-M Supply nipple kit includes: • 1/2" NPT x 2" inlet supply nipple

• 1/2" lock nut and washers



B-1100-K Parts Kit includes: (2) 1/2" NPT male x female short elbows

Wrist Action Faucet Handles:



B-WH4-NS 4" Handle Only (shown) B-WH4H-NS 4" Hot (w/ index, screw) **B-WH4C-NS** 4" Cold (w/ index, screw)

Lever Faucet Handles:



001636-45NS Cold (shown) 001637-45NS Hot 001638-45NS Handle Only (no index)

Adapters:



B-0467 Fisher Wall Mount Faucet Adapters (pictured left) **EZ-SWIVEL-FM** Swivel Adapter for Fisher Faucets 172A Adapter, 1/4 NPT Male x 3/4-14 UN Male Chrome-Plated Brass



238A

Push Button Metering Cartridge

B-238RK Metering Cartridge



238AB Push Button Metering Cartridge (Blank handle) **238AC** Push Button Metering Cartridge (Cold handle) **238AH** Push Button Metering Cartridge (Hot handle)

Hot and Cold Cartridge Assemblies:



Eterna-Compression Quarter-Turn Eterna Cartridge with Integral Spring Check: Lever



Handle with Index 002712-40NS Hot

002711-40NS Cold 012443-40NS Hot, less handle 012442-40NS Cold, less handle

Cerama-Ceramic

Quarter-Turn Cerama Cartridge with Check Valve: Lever Handle with Index

012446-25NS Hot 012447-25NS Cold

012394-25NS Hot, less handle 012395-25NS Cold, less handle

Nozzles and Goosenecks:

Double-Joint Nozzle				- Swiv	Swivel Gooseneck			Swing Nozzle 🦷		
MODEL	D	н	K	MODE	LD	н	ĸ	MODEL	D	н
066X	6"	6"	12"	131X	2-13/16"	4-11/16"	2-3/16"	059X	6"	2-5/16"
067X	9"	6"	15"	132X	2-5/8"	9"	5-7/16"	060X	8"	2-15/16"
068X	12"	6"	18"	133X	5-11/16"	10 -5/16"	6-1/4"	061X	10"	3-16/16"
069X	12"	12"	24"	135X	8-3/4"	12-1/16"	5-5/8"	062X	12"	4-5/16"
				179X	4-3/8"	9-5/16"	5-3/4"	063X	14"	4-7/8"

16" 5-15/16"

064X







012449-40

Cartridge

Wrist Action Metering



